





DOCKET NO. 1917

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

James F. McGuckin, Jr., et al

Serial No.:

10/081,695

Examiner:

Unknown

Filed:

2/22/02

Art Unit:

Unknown

For:

Apparatus For Delivering Ablation Fluid To Treat Lesions

Assistant Commissioner of Patents Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLI CATION PAPERS-FILING DATE GRANTED

Sir:

In response to the Notice to File Corrected Application Papers – Filing Date Granted, dated March 20, 2002, Applicants enclose herewith 23 sheets of substitute drawings (Figs. 1-32B) in compliance with 37 C.F.R. 1.84, along with a copy of the Notice. Applicants believe no fee is required. However, if a fee is required, please charge such fee(s) to Deposit Account No. 501567.

In the event any extensions of time are required, please treat this paper as a petition to extend the time as required and charge Deposit Account No. 501567. TWO (2) COPIES OF THIS SHEET ARE ENCLOSED.

Dated: 5/13/07

Respectfully submitted,

Neil D. Gershon Reg. No. 32,225

Attorney for Applicant

Rex Medical 2023 Summer St. Suite 2 Stamford, CT. 06905



UNITED STATES PATENT AND



10051695.09agenom

COPY OF PAPERS ORIGINALLY FILED

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

APPLICATION NUMBER

FILING/RECEIPT DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/081,695

02/22/2002

James F. McGuckin JR.

1917

CONFIRMATION NO. 1281

FORMALITIES LETTER

| NESTRO 180 AU 180 AUR 1910 ARN 1820 ANN 1918 ANN 1821 ANN 1834 ANN 1841 ANN 1841 ANN 1841 ANN 1841 ANN 1841 ANN

OC000000007677391

Neil D. Gershon Chief Patent Counsel Rex Medical 2023 Summer St., Suite 2 Stamford, CT 06905

Date Mailed: 03/20/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE